# AQA A-Level Maths 2023 Paper 1A

Do not turn over the page until instructed to do so.

This assessment is out of 100 marks and you will be given 120 minutes.

When you are asked to by your teacher write your full name below

Name:

Total Marks: / 100



https://www.buymeacoffee.com/DrBennison



[1 mark]

- 2 What is the centre of the circle with equation  $x^2 + 8x + y^2 4y 16 = 0$ ?
- $(4,2) \qquad (-4,-2) \qquad (-4,2) \qquad (4,-2)$

[1 mark]

**3** The expansion of  $(5 + 4x)^{\frac{1}{2}}$  converges for all *x* such that

$$|x| < \frac{4}{5}$$
  $|x| < \frac{5}{4}$   $x < \frac{4}{5}$   $x < \frac{5}{4}$ 

[1 mark]

4 Simplify 
$$\frac{x+3}{x^2-1} \div \frac{x^2+6x+9}{2x^2+5x+3}$$

[3 marks]

**5** Prove that  $\log_2 3$  is irrational.

[5 marks]

Page 5 of 25

6 a) Sketch the graph of 
$$y = \cos\left(x + \frac{\pi}{3}\right) + 4$$
 for  $0 \le x \le 2\pi$ 

[3 marks]

b) State the coordinates of the minimum point of  $y = \cos\left(x + \frac{\pi}{3}\right) + 4$  in the domain  $0 \le x \le 2\pi$ . [2 marks] **7** Solve the inequality |x + 6| < 4.

[3 marks]

8 Find the stationary point of the curve  $2x^2y + 6x = 10$ .

# [6 marks]

- **9** Consider the equation  $2x^3 + 3x^2 + 7 = 0$ 
  - a) Show that a solution to the equation above lies in the interval  $\left[-3,-2\right]$  .

[2 marks]

**b)** Explain why the iterative formula  $x_{n+1} = \frac{-7}{2x_n^2 + 3x_n}$ , with  $x_0 = 1$  fails to find a root of  $2x^3 + 3x^2 + 7 = 0$ .

[1 mark]

c) Show that the iterative formula  $x_{n+1} = \sqrt[3]{\frac{-7x^n}{2x_n+3}}$  can be derived from  $2x^3 + 3x^2 + 7 = 0$ .

[2 marks]

d) Using the diagram below show that the iterative formula given in (c) with initial value  $x_0 = -2$  will converge to a solution of  $2x^3 + 3x^2 + 7 = 0$ .

[2 marks]



e) Using the iterative formula given in (c) find the solution to 3 decimal places and show that it is correct to 3dp.

## [3 marks]

**10** The first three terms of a geometric sequence are given by

$$8x + 20$$
  $10x - 8$   $2x + 5$ 

**a)** Show that there are two possible values of *x* for this to form a geometric sequence.

## [4 marks]

**b)** In the case where *x* is the integer solution found in (a) write down the first term and common ratio of the sequence.

[2 marks]

**c)** Find the difference between the sum of the first 5 terms and the sum to infinity of the sequence generated using the values found in (b).

[4 marks]

**11** The line  $l_1: y = \frac{3}{4}x + \frac{23}{4}$  is tangent to the circle

$$C_1 : (x - a)^2 + (y - 1)^2 = 25.$$

a) Given that a > 0, find a.

## [6 marks]

**b)** Find the equation of the line  $l_2$  which is tangent to the circle  $C_1$  at the point (6,4).

# [4 marks]

# **12** Using the substitution $x = \sec(\theta)$ show that

$$\int \frac{1}{(x^2 - 1)^{\frac{3}{2}}} \, \mathrm{d}x = -\frac{x}{\sqrt{x^2 - 1}} + C$$

[10 marks]

Page 16 of 25

**13** Let 
$$p(x) = 4x^4 + ax^2 + bx - 6$$

a) Given that (x + 2) and (x - 3) are factors of p(x) find a and b.

## [4 marks]

**b)** Hence show that p(x) has a repeated root and find all solutions of the equation p(x) = 0.

[4 marks]

c) Sketch p(x) labelling all intersections of the graph with the axes.

[2 marks]

d) Using (c), or otherwise, show that the equation

$$4\sin^{4}(\theta) + 19\sin^{2}(\theta) - 25\cos(\theta) - 29 = 0$$

has only two solutions in the range  $0 \le 2\pi$ .

## [5 marks]

**14** a) Express in partial fractions 
$$\frac{7x+9}{2x^2+5x+3}$$

[3 marks]

**b)** Hence, find a series expansion for  $y = \frac{7x+9}{2x^2+5x+3}$  in increasing powers of *x*, up to the term involving  $x^3$ .

c) John uses this series expansion to find an approximate value,  $I_{\rm approx}$  of

$$I = \int_0^1 \frac{7x + 9}{2x^2 + 5x + 3} \, \mathrm{d}x$$

Find this approximate value to 4 decimal places.

## [2 marks]

**d)** By first showing that 
$$\int_{0}^{1} \frac{7x+9}{2x^2+5x+3} \, \mathrm{d}x = \frac{1}{2} \ln\left(\frac{a}{27}\right)$$

where a is an integer to be found, find the percentage error made by John in his approximation.

[7 marks]

e) How could John increase the accuracy of his approximation.

[1 mark]